

**AMENDMENTS TO THE CLAIMS WITH MARKINGS TO SHOW CHANGES
MADE, AND LISTING OF ALL CLAIMS WITH PROPER IDENTIFIERS**

Claims 1-14 (Cancelled)

15. (Currently amended) An adhesive in form of ~~preferably a watery~~ an aqueous dispersion, comprising:
- a dispersoid of a polymer of an ethylenic unsaturated monomer,
 - a first dispersing agent from a polyvinyl alcohol modified by ethylene units with an ethylene unit content below 20 Mol%,
 - a further dispersing agent, which is a vinyl alcohol polymer, and wherein the dispersion has a pH from 5.5 to 7.5.
16. (Previously presented) The adhesive of claim 15, wherein the dispersoid is polyvinyl acetate.
17. (Previously presented) The adhesive of claim 16, wherein the polyvinyl acetate has a degree of polymerization from 100 to 2500.
18. (Previously presented) The adhesive composition of claim 16, wherein the polyvinyl acetate is present in an amount from 40 to 60% by weight, relative to the dispersion.
19. (Previously presented) The adhesive composition of claim 15, wherein the modified polyvinyl alcohol is an ethylene vinyl alcohol-co-polymer.
20. (Previously presented) The adhesive of claim 19, wherein the ethylene vinyl alcohol-co-polymer has a degree of polymerization from 100 to 8000.

21. (Previously presented) The adhesive of claim 19, wherein the ethylene vinyl alcohol-co-polymer has a degree of hydrolysis from 88 to 100 Mol%.
22. (Previously presented) The adhesive of claim 19, wherein the ethylene vinyl alcohol-co-polymer is present in an amount from 1 to 3 % by weight, relative to the dispersion.
23. (Currently amended) The adhesive of claim 15, wherein ~~at least one of~~ the vinyl alcohol polymer has a degree of polymerization from 1500 to 3000.
24. (Currently amended)) The adhesive of claim 19, wherein ~~at least one of~~ the vinyl alcohol polymer has a degree of hydrolysis from 81 to 100 Mol%.
25. (Currently amended) The adhesive of claim 15, wherein ~~at least one of~~ the vinyl alcohol polymer is present in an amount from 0.6 to 2.5% by weight, relative to the dispersion.
26. (Currently amended) The adhesive of claim 15, wherein the vinyl alcohol polymer comprises a first partially saponified polymer with a polymerization degree from 1500 to 3000, a degree of hydrolysis from 88 to 92 Mol% and a viscosity from 15 to 30mPa. sec., each in watery solution, in an amount from 0.1 to ~~4.50~~ 1.5 Mol% by weight, relative to the dispersion, and
a further partially saponified polymer with a polymerization- and hydrolysis degree like the first partially saponified polymer and having a viscosity from 30 to 50 mPa. sec, each in a 4% watery solution, in an amount from 0.5 to 1.5 % by weight, relative to the dispersion.

27. (Currently amended) A building component comprising ~~several~~ a plurality of layers, wherein the layers are glued together with the adhesive of claim 15.